

... ;  
... «  
».

— -600 163  
82,2 %

: , -600.

— -600 163  
82,2 %

: , -600.

), ( , ),  
[1, 2, 3].

-600  
[4, 5, 6].

» 2007-2010

« 1037

( , , , ).

- 1)
- 2)
- 3)
- 4)
- 5)
- 6)
- 7)
- 8)

1037

163 ; - 93 - 161 ; - 34 - 52 ; - 19 - 97 (59,5%); - 58 (35,6%); - 19 (11,7%); - 9 (5,5%) .

- 600,

[7, 8, 9, 10].

163

-600 15-20  
1 1-2

147 (90,1%)

11 (6,7%) -  
5 (3,0%) -

158 (96,9%)

24 (15,2%)

134 -600.

134 17(12,7%)

-600

8 (4,9%)  
11 (6,7%)


134  
( . 1):

	I -	-600
	115	111
	17	23
	2	0

- 600

163 147 (90,1%)  
; 11 (6,7%) -

; 5 (3%) -



I –

158

(

). 24

134

-600

134

115 (85,1%)

17 (12,6%)

; 2 (1,4%)

111 (82,8%)

; 23 (17,1%)

-600

600

82,2%.

## SUMMARY

### THE EFFICIENCY OF THE DRUG FLEBODIYA-600 IN COMPLEX TREATMENT OF A CHRONIC PROSTATITIS, WHICH PROCEEDS AGAINST THE COMPLICATED HEMORRHOIDS

**Kravets V. P., Lyakh S. B.,**

*The Sumy Regional Clinical Perinatal Center, Sumy*

*The conducted research has shown that step therapy by a preparation of diosmini row – Flebodiya-600, is effective in the treatment of patients with a chronic prostatitis which proceeds against the complicated hemorrhoids. The clinical efficacy was 82.2%. The drug is well tolerated and has few side effects, so it can be recommended for the treatment of patients with the above pathology.*

**Key words:** *chronic prostatitis, hemorrhoids, Flebodiya-600.*

1. . . . . //
2. . . . . –2002.– 1.– .53–59.
3. . . . . / . . . . . : . . . . . ,2005.–716 .
4. . . . . ,2001.–363 .
5. . . . . // . . . . . –2006.– 4, 7. – .68–70.
6. . . . . // . . . . . –2006.– 3 (23).– .46–49.
7. . . . . ( 600) / . . . . . // . . . . . –2009.– 1.– .44–45.
8. . . . . –600 / . . . . . , . . . . . // . . . . . –2006.– 5.– .52.
9. . . . . // . . . . . –2009.– 1.– .72–75.
10. . . . . / . . . . . , . . . . . , . . . . . // . . . . . –2005.– 2.– .65–67.