

... , - . . , ;
... * , ;
... , , ;
* , . . . ;
65 6 , ()
() 2001-2010 .
27 (41,5%) .
3 (81,5%),
1 (36,8%). 44 (67,7%)
(72,3%).
:
- [2, 9, 10, 13, 14, 15].
() , ,
,
[2, 9, 10].
[2, 9, 10].
(, ,) ()
, ,) [2, 6, 7, 9, 14].
[3, 5, 8, 11, 16].
- , 75% , ,
[5, 7, 8, 11, 16]. - , ,
, , , 40 [1, 8, 11, 16].
« » .
65 6
2001-2010 ..

()

().

2001 2010
(56,9%) (20%):

1-2 - 16 (24,6%), 2-3 - 12 (18,5%), 3-4 - 7 (10,8%), 4-5 - 8 (12,3%), 5-6 - 2 (3,1%) (. 1).

I -

	1	1-2	2-3	3-4	4-5	5-6
	6 (22,2%)	10 (37%)	6 (22,2%)	1 (3,7%)	2 (7,4%)	2 (7,4%)
	14 (36,8%)	6 (15,8%)	6 (15,8%)	6 (15,8%)	6 (15,8%)	0
	20 (30,8%)	16 (24,6%)	12 (18,5%)	7 (10,8%)	8 (12,3%)	2 (3,1%)

3 - 22 (81,5%), 26 (68,4%), 1,2

(>0,05).

1 - 14 (70%), 6 (30,0%), 1-2

- 10 (62,5%), 1,7 (<0,05).

2-3 - 6 (37,5%), 50%.

3 (53,9%).

44 (67,7%),

- 47 (72,3%), 12 (18,5%).

26 (40%), 8 (12,3%), - 21 (32,3%)

(16,9%) (. 2).

2

- 23 (35,3%)

- 87,9%. 90,8%

72,3% 17-35 6,2% 35
 41,5% 20-35 , 18,5% , 20% - , 30,8% -

2 -

	32,4%	29,4%	11,8%	11,8%	0%	14,7%
	39,5%	28,9%	10,5%	0%	5,3%	15,8%
-	26	21	8	4	2	11
%	36,1%	29,2%	11,1%	5,6%	2,8%	15,3%

- 27 (41,5%)

(, ,). (6-8). 2

2-8-


4-6 , 27 (100%)

: , " "

, 27,7% - , 13,9% - , 6,2% - V : 44,6%

: 20 (74,1%)

, 28 (73,7%) -



SUMMARY

FREQUENCY OF INFLAMMATORY DISEASES OF BONE SYSTEM IN CHILDREN OF PRESCHOOL AGE

Duzhy I. D., Shevchenko M. Y., Gnashko A. V.,
Medical Institute of Sumy State University, Sumy;
Sumy Oblast Children's Clinical Hospital, Sumy

The results of treatment of 65 patients, aged from birth to 6 years, with acute hematogenous osteomyelitis for the period of 2001-2010 years were analyzed in the article. Tuberculous etiology was diagnosed in 27 patients (41,5%). Specific tuberculosis osteomyelitis prevailed in children under 3 years (81,5%), nonspecific osteomyelitis - under 1 year (36,8%). 67,7% of children were urban dwellers. In the majority cases the process was located in the long bones of the lower extremities (72,3%).

Key words: osteomyelitis in childhood, specific, nonspecific.

1. . . . / // - 1999. - .44, 1. - .3-6. /
2. . . . // - 1999. - .296-357.
3. . . . / // - 2004. - 4. - .15-19.
4. . . . : : « -1» . - 2008. - 560 .
5. . . . - 2006. - 2 (86). - .59-62. //
6. . . . // - 2007. - 1(35). - .78-83.
7. . . . (. . . .) // - 2004. - 1. - .21-23.
8. . . . // - 2008. - 4/1. - .54-55.

9. // XX ' / .- , 2002. - . 284-286.
10. / // .-2000. - 6. - . 33-34.
11. (-) / // .-2004. - 2. - . 21-27.
12. po i / , X // , 25-26 2007 .- , 2007. - . 2. - . 69-70.
13. Blyth M. J. The changing epidemiology of acute and subacute hematogenous osteomyelitis in children / Blyth M. J., Kincaid R., Craigen M. A. et al. // J. Bone Joint Surg. - 2001. - 83. - P. 99-102.
14. Bonhoeffer J. Diagnosis of acute haematogenous osteomyelitis and septic arthritis: 20 years experience at the University Children's Hospital Basel / Bonhoeffer J., Haeberle B., Schaad Urs B., Heininger U. // SwissMedwky. - 2001. - 131. - P. 575-581.
15. Craigen M. The changing epidemiology of osteomyelitis in children / Craigen M., Watters J., Hackett J. // Br. J. Bone Joint Surg. - 1992. - 27 B. - P. 541-546.
16. Henrikson B. BCG-Osteomyelitis / Henrikson B., Hirsch G., Iversen K. // J. Pediatr. Surg. - 1974. - Vol. 9, 1. - . 109-113.